

Appendix 2. Data quality and acceptability of the French version of the WART (n=187).
 %, percent; Min, minimal values; Max, maximal value; n, number; SD, standard deviation.

Items	Mean	SD	Median	Min	Max	Floor Effect %	Ceiling Effect %
1	3.12	0.64	3	1	4	2.14	24.6
2	2.65	0.86	3	1	4	9.1	16.0
3	2.48	0.81	3	1	4	11.8	8.6
4	2.52	0.79	2	1	4	8.1	10.7
5	2.74	0.87	3	1	4	11.8	16.0
6	2.31	0.84	2	1	4	19.3	4.8
7	2.40	0.77	2	1	4	11.2	6.4
8	2.30	0.97	2	1	4	25.1	11.2
9	3.22	0.70	3	1	4	3.2	34.8
10	2.24	0.86	2	1	4	21.9	5.9
11	2.44	0.77	2	1	4	11.2	5.9
12	2.13	0.74	2	1	4	18.2	3.7
13	1.75	0.69	2	1	3	39.0	14.4
14	2.46	0.87	3	1	4	15.5	9.6
15	2.28	0.83	2	1	4	17.7	7.0
16	1.99	0.82	2	1	4	31.0	3.2
17	2.26	0.78	2	1	4	17.1	3.7
18	2.54	0.86	3	1	4	12.8	11.2
19	1.86	0.88	2	1	4	42.8	4.3
20	2.40	1.04	3	1	4	26.2	15.5
21	1.87	0.80	2	1	4	37.4	1.6
22	2.46	0.88	2	1	4	12.8	12.8
23	2.09	0.90	2	1	4	30.5	5.9
24	1.60	0.79	1	1	4	57.8	1.6

25	1.73	$\frac{0.7}{1}$	2	1	4	40.6	1.6
----	------	-----------------	---	---	---	------	-----
